




Nytrogene
<https://nytrogene.com/>

SAMPLE NAME:
SAMPLE CODE:
RECEIVED DATE:
PUBLISHED DATE:

Tesamorelin
AKYZ-2ETM
06/11/2026
09/22/2026



DECLARED IDENTITY	Tesamorelin
MATRIX TYPE:	PEPTIDE
SAMPLE NAME:	Tesamorelin
SAMPLE SIZE:	10.0 mg
LOT CODE:	1002




10.59 mg
Total Quantity



99.36%
Total Blend Purity

Sample	Test	Specification	Result	Status
Tesamorelin	IDENTITY	Tesamorelin	Tesamorelin	CONFORMS
Tesamorelin	QUANTITY	MEASURE	10.59 mg	MEASURED
Tesamorelin	PURITY	> 98.0%	99.36%	CONFORMS

HPLC Chromatogram Report



RESULTS REVIEWED BY:

Anthony Burke PhD
Lab Manager
09/22/2026

RESULTS CERTIFIED BY:

Dr. Levi Fried MD
Lab Director
09/22/2026

ACCUMARKLABS.COM
AKYZ-2ETM
09/22/2026





Nytrogene
<https://nytrogene.com/>

SAMPLE NAME:
 SAMPLE CODE:
 RECEIVED DATE:
 PUBLISHED DATE:

Tesamorelin
 AKYZ-2ETM
 06/11/2026
 09/22/2026

Sample	Test	Specification	Result	Status
Tesamorelin	Endotoxin (LAL)	≤ 5.0 EU/mL	Pass	CONFORMS
Tesamorelin	Rapid Sterility Screening (PCR)	Not Detected	Pass	CONFORMS

RESULTS CERTIFIED BY:

RESULTS CERTIFIED BY:


 Anthony Burke PhD
 Lab Manager
 09/22/2026


 Dr. Levi Fried MD
 Lab Director
 09/22/2026

ACCUMARKLABS.COM
 AKYZ-2ETM
 09/22/2026

